

GOVERNMENT OF ANDHRA PRADESH
ABSTRACT

Public Services- Water Resources Department – Vigilance Report on Misused without Execution of works Rs.15.00 crores under various grants i.e., Rajiv pale bhata, ACDP, MPLADS, MGNREGS, ZP general funds, APSFC, ZP seignorage grant, MP Rs.8/- per capita, MP women and child welfare, MP SC welfare, MP ST welfare, RRM and TFC in Kamalapuram(M) of YSR District – Disciplinary proceedings against Sri P.V.Rami Reddy, the then Deputy Executive Engineer in I&CAD Sub Division, kadapa under Rule 20 of the A.P. Civil Services (CC & A) Rules, 1991 – Appointment of the Superintending Engineer, NTR TGP Circle, Kadapa as Inquiring Authority-Orders –Issued.

WATER RESOURCES (Vig.II.(V&E)) DEPARTMENT

G.O.Rt.No.438

Dated:09.10.2023

G.O.Rt.No.314, Water Resources (Vig.II.(V&E-A1)) Department, dt.19.06.2020.

>><<

O R D E R:

Whereas, an enquiry under Rule 20 of the Andhra Pradesh Civil Services (Classification, Control and Appeal) Rules, 1991 is being held against the Sri P.V.Rami Reddy, the then Deputy Executive Engineer in I&CAD Sub Division, kadapa.

2. And whereas, it is considered that an Inquiring Authority should be appointed to inquire into the charges framed against the above said officer.

3. Now, therefore, in exercise of the powers conferred by Sub-rule (2) of Rule 20 of the said rules, the disciplinary Authority hereby appoints the Superintending Engineer, NTR TGP Circle, Kadapa, as the Inquiring Authority to inquire into the charges framed against the above said officer.

4. Copies of reports, charge memoranda and Written Statements of Defence submitted by the charged Officers are forwarded herewith to the Inquiring Authority. The Presenting Officer will produce other original documents relating to the case before the Inquiry Officer. The Inquiring Authority is requested to complete the enquiry and submit his report within two months positively.

(BY ORDER AND IN THE NAME OF THE GOVERNOR OF ANDHRA PRADESH)

SHASHI BHUSHAN KUMAR
PRINCIPAL SECRETARY TO GOVERNMENT

To

Sri P.V.Rami Reddy(Rtd), the then Deputy Executive Engineer in I&CAD Sub Division, kadapathrough the Engineer-in-Chief (AW), Water Resource Department, Vijayawada.

The Superintending Engineer, NTR TGP Circle, Kadapa, Inquiring Authority(w.e.)
The Executive Engineer, NTR TGP Division, Badvel and Presenting officer in this
case

The Engineer-in-Chief(AW), Water Resources Department, Vijayawada with a
request to submit the dated acknowledgements of the charged officer to Government
without any delay.

The Secretary, AP Vigilance Commission, 5th Building, A.P. Secretariat, Velagapudi,
Amaravati.

S.F/S.C

// FORWARDED: : BY ORDER //

SECTION OFFICER